



**AUTHOR and  
SUBJECT INDEX**

**VOL. 8, 1977**

## INDEX OF AUTHORS

- Adams, Alan H., 116  
Amoroso, Marie, 36  
Anziska, Brian, 206  
Cracco, Roger Q., 206  
Dauben, Richard D., 116  
DeMyer, Marian K., 27  
Erkulvrawatr, Samard, 89  
Ferber, Ginger, 141  
Fuster, B., 6  
Gerson, Irvin M., 36  
Gibbs, Erna L., 156  
Gibbs, Frederic A., 79, 156  
Gordy, Charles, 36  
Grice, Sterling T., 141  
Hall, B., 125  
Jay, Sara L., 62  
Jordan, J. Eric, 141  
Jurko, M.F., 184  
Kamiyama, Goro, 135  
Kavallinis, George P., 51  
Kellams, Jeffery J., 62  
Klapper, Marietta H., 62  
Leschey, Jr., W. H., 125  
Mikiten, Terry M., 141  
Milstein, Victor, 27, 62  
Moore, Joseph E., 27  
Newman, Steven E., 70  
Novick, Rudolph G., 79  
Pacheco e Silva, Alvaro, 150  
Peacock, Jr., Samuel M., 170  
Porecha, Harish P., 191  
Rahman, A.N., 211  
Ramsey, Patricia P., 203  
Reilly, Edward L., 191  
Schear, Harley E., 77  
Schlagenhauff, Reinhold E., 100  
Sethi, P.K., 100  
Shiotsuki, Masao, 135  
Small, Joyce G., 27, 62  
Struve, Frederick A., 47, 203  
Sugiyama, Hiroyuki, 135  
Tsutsumi, Masaru, 135  
Yanovski, Alexander, 170

## INDEX OF SUBJECTS

Vol. 8, No. 1, 2, 3, 4, 1977

- Abdominal pain**, and psychiatric patients, 81, 82, 84, 86
- Abscess, cerebral**, and PLEDs, 116, 122
- Adversive movements** and, carotid compression, 22  
—electrographic seizure discharges, 207  
—PLEDs, 117
- Akinetic mutism**, and acute brain stem lesions, 77
- Akinetic seizures**, and thalamotomy with mit-ten patterns, 184
- Alcoholism** and, PLEDs 93, 97, 119, 121, 123  
—psychiatric patients, 81-83
- Alkalosis**, and hyperventilation, 36, 37
- Alpha activity** and, autism, 27  
—aviators, 151, 152  
—coma, 78  
—head pain, 211-213, 216, 218  
—Huntington's chorea, 101-103  
—hysteria, 77  
—palatal myoclonus, 143  
—photic stimulation, 127, 129, 170-176, 181, 182  
—schizophrenics treated with tranquilizers, 67  
—seizures, 207  
—stutterers, 135
- Aminophylline therapy**, and PLEDs, 122, 123
- Amplitude changes** and, aviators, 150, 151  
—Huntington's chorea, 100-103, 107, 108  
—medical legal cases, 158  
—photic stimulation, 126-128, 170-183  
—PLEDs, 91, 98, 99, 116, 201  
—psychiatric patients, 49  
—seizures discharges, 206-210  
—subdural hematoma, 77  
—trauma, 158  
—(See also Asymmetry, Isoelectric, and Suppression burst phenomenon)
- Aneurysm**, and carotid compression, 24, 25  
—PLEDs, 197
- Announcement**, American Medical EEG Association 1977 annual meeting, 3  
—Southern EEG Society officers, 4
- Anoxia**, and PLEDs, 116-118
- Anterior temporal localization** and, lithium therapy, 52  
—psychiatric patients, 80, 82, 85-87  
—spikes, 52, 80, 82, 85-87, 138  
—stutterers, 138  
—(See also Temporal localization)
- Anticonvulsants** and, head pain, 211, 213, 215, 216, 218-220  
—lithium treatment in epilepsy, 51, 54, 55  
—stutterers, 135, 136
- Artifact** and, EEG, 43-45  
—palatal myoclonus, 141-149  
—seizures, 209
- Asymmetry** and, aviators, 150, 151  
—medical legal cases, 158  
—photic stimulation, 126-128, 131  
—psychiatric patients, 49  
—trauma, 158
- Atherosclerosis**, and PLEDs, 121, 122
- Autism**, early infantile, and EEG and clinical studies, 27-35
- Automatism**, and lithium therapy, 54  
—(See also Psychomotor seizures)
- Aviators**, and value of EEG in selection, 150-152
- Basal ganglia**, and mittens, 184
- Behavior problems**, and 14&6 in post-traumatic medical legal cases, 162, 164
- Beta activity** and, Huntington's chorea, 103, 105, 107  
—palatal myoclonus 143  
—seizures, 207  
—(See also Fast activity)
- Blood ammonia level**, and triphasic waves, 77
- Bradyrhythmia, anterior**, and psychiatric patients, 48
- Brain stem** and, ischemia in carotid compression, 22  
—lesions in emergency situations, 77  
—palatal myoclonus, 141, 148  
—visual system, 130
- Calcium deficiency** and, ECG with EEG, 37  
—PLEDs, 118
- Carbamazepine** and, head pain, 218  
—lithium therapy, 54
- Cardiac disease** and, carotid compression, 21, 15, 37  
—ECG and EEG, 37, 39-44
- Carotid cutaneous photoplethysmography test**, a method to explore the carotid and vertebral basilar systems, 6-26
- Caudate nucleus**, and Huntington's chorea, 107, 108
- Central localization** and, aviators, 152  
—headache, 211-214  
—photic stimulation, 173, 178, 182  
—PLEDs, 194, 196, 199, 200  
—psychiatric patients, 82  
—seizures, 209  
—spikes, 82, 138, 194, 196, 200  
—stutterers, 138
- Cerebellum**, and palatal myoclonus, 141
- Chlorpromazine**, and lithium therapy, 54
- Colliculus, superior**, and visual systems, 179, 181
- Coma** and, brain stem lesions, 77, 78  
—PLEDs, 92, 95, 117, 118, 121, 192  
—seizures, 207  
—thrombosis, 14

- Computer analysis** and, palatal myoclonus, 145, 146, 147
- photic stimulation, 170, 171
  - schizophrenics treated with tranquilizers, 62-69
- Computerized tomography**, and comparative utilization of EEG, 70-76
- Consciousness level** and, carotid compression, 6, 7, 22
- PLEDs, 92, 95, 117, 121
  - trauma with 14&6, 159, 161, 164
  - (See also Coma)
- Control subjects** and, autism, 27, 28, 14&6, 158, 159
- Huntington's chorea, 101, 103
  - photic stimulation, 125
  - psychiatric patients, 79-81, 84, 87
  - stutterers, 135, 136, 139
- Contusion, cerebral**, and PLEDs, 117
- Correlograms**, and schizophrenics treated with tranquilizers, 64-66
- Cyst**, and computerized tomography and EEG, 70
- Death** and, emergency EEG, 78
- PLEDs, 90, 97, 98, 118, 121, 122, 197
- Deja vu**, and lithium therapy, 52
- Delta activity** and, autism, 31, 33
- brain stem lesions, 77
  - headache, 215-219
  - Huntington's chorea, 103, 106-108
  - medical legal cases following trauma, 158
  - palatal myoclonus, 143
  - photic stimulation, 126
  - PLEDs, 91, 118-121, 192, 198, 199
  - seizure discharges, 207
  - (See also Slow activity)
- Depression**, and psychiatric patients, 81-83, 85
- Depression of voltage**, (See Amplitude, Asymmetry, Isoelectric, and Suppression bursts)
- Depth recording**, and mittens in thalamus, 184-190
- Diabetes**, and PLEDs, 93, 96, 97, 192
- Diazepam**, and head pain, 213, 215, 218, 219
- Diphenylhydantoin**, and head pain, 211, 213, 215, 216, 219, 220
- Dizziness**, and psychiatric patients, 81-85
- trauma with 14&6, 162
- Drugs** and, abuse in psychiatric patients, 81, 82, 84, 86
- head pain, 211-220
  - lithium in epilepsy, 51-56
  - overdose in emergency clinical situations, 77
  - PLEDs, 122, 123
  - schizophrenics treated with major tranquilizers, 62-69
  - stutterers, 136
- Editorial**, mitten patterns and depth recording, 168
- PLEDs articles, 155
  - sleep and seizure activity, 155
- Electrocardiographic monitoring** and, carotid compression, 6-25
- routine and special EEG studies, 36-46
- Embolus** and, carotid cutaneous photoplethysmography test, 7, 14, 21
- emergency clinical situations, 77
  - PLEDs, 197
- Emergency clinical situations**, and use of EEG, 77-78
- Encephalitis, herpes**, and PLEDs, 116, 117, 122, 123
- Envelope waveform**, and photic stimulation, 172-175, 179
- Epilepsia partialis continua**, and PLEDs, 92, 116, 117
- Epilepsy** and, aviators, 150, 155
- 14&6 in medical legal cases, 160, 162
  - lithium, 51-56
  - photic stimulation, 125
  - seizure discharges, 206-208
  - trauma in medical legal cases, 160, 162
  - (See also Seizures)
- Evoked responses** and, palatal myoclonus, 148
- (See also Photic stimulation)
- Extreme spindles** and, autism, 30, 31
- psychiatric patients, 82
- Eye movement**, and palatal myoclonus, 141, 143
- Fainting spells** and, ECG with EEG, 44
- lithium therapy, 52
- Fast activity** and, autism, 27, 31-33
- drug overdose, 77
  - exceedingly fast, 47, 83, 107
  - Huntington's chorea, 103, 105, 107
  - medical legal cases following trauma, 158
  - palatal myoclonus, 143
  - psychiatric patients, 47, 83
  - seizures, 207
- Fistula**, and carotid compression, 24, 25
- Flicker stimulation**, (See Photic stimulation)
- Focal motor seizures**, and PLEDs, 92, 94, 116-122
- Fourteen and six per second positive spikes** and, autism, 30-33
- headache, 162, 204
  - Huntington's chorea, 105-108
  - medical legal cases, 158-164, 203-205
  - psychiatric patients, 47, 65, 80, 81, 84, 86, 87
  - schizophrenics treated with tranquilizers, 65
  - stutterers, 136-139
  - trauma, 158-164, 203-205, 218
- Fracture, skull**, and 14&6, 159, 160, 163, 203, 204
- Frontal localization** and, aviators, 152

- intermittent rhythmic delta in acute brain stem lesions, 77
- mittens, 168
- palatal myoclonus, 141-148
- photic stimulation, 178, 179, 182
- psychiatric patients, 82
- spikes, 82
- stutterers, 138
- thrombosis, 13
- Grand mal seizures** and, electrographic discharges, 208
  - lithium therapy, 54
  - PLEDs, 92, 93, 117-122
  - (See also Seizures)
- Hallucinations** and, lithium therapy, 52
  - PLEDs, 118, 121
  - psychiatric patients, 81-84
- Handedness**, and stutterers, 135
- Headache** and, 14&6, 162, 204
  - medical legal cases, 162
  - normal EEG, 162
  - psychiatric patients, 81, 82, 84, 86
  - trauma, 162, 211-220
- Hematoma**, and computerized tomography vs. EEG, 70
  - emergency clinical situations, 77
  - PLEDs, 122, 201
- Hemiparesis** and, emergency clinical situations, 77
  - PLEDs, 117, 119, 121
  - sickle-cell disease, 38
- Hemiplegia** and, PLEDs, 117
  - thrombosis, 14, 24
- Hemisphere localization** and, occlusions, 77
  - PLEDs, 119-123, 192, 202
  - schizophrenics treated with tranquilizers, 67
  - spikes, 119-123
  - stutterers, 135, 138, 139
- Hemorrhage** and, carotid compression, 25
  - computerized tomography, 70
  - PLEDs, 116, 121, 122
- Hepatic encephalopathy** and, emergency clinical situation, 77
  - PLEDs, 117, 118
- Hereditary factors**, and stutterers, 136, 139
- Hodgkin's disease**, and PLEDs, 96, 97
- Homonymous hemianopsia** and, PLEDs, 117-119, 121
  - sickle cell disease, 38
- Huntington's chorea**, and electro-clinical findings, 100-108
- Hydantoin**, and stutterers, 135
- Hypertension** and, carotid cutaneous photoplethysmography test, 7
  - hyperventilation, 37
  - PLEDs, 93, 96, 97, 121
- Hyperventilation** and, aviators, 151-153
  - ECG, 36-38, 40, 45
  - Huntington's chorea, 102, 105, 108
  - psychiatric patients, 79
  - stutterers, 135, 140
- Hypnosis**, and photic stimulation, 170, 175-178, 181
- Hypoxia** and, emergency clinical situations, 77
  - hyperventilation, 36
- Hysteria**, EEG and emergency clinical situations, 77
- Infarct** and, palatal myoclonus, 141, 146
  - PLEDs, 93, 96, 97, 98, 116-123, 201
- Intelligence** and, autism, 27, 30-33
  - seizures with mittens, 184, 185, 189
- Ischemia** and, carotid compression, 21, 22, 24, 25
- Isoelectric EEG**, and cerebral death, 78
- K-complex**, and Huntington's chorea, 104, 106, 108
- Lambda waves**, and photic stimulation, 127
- Lithium**, in epilepsy, 51-56
- Manic depressive psychosis**, and lithium therapy, 51, 52, 54
- Medical legal cases**, and trauma with 14&6, 156-164, 203-205
- Memory impairment**, and psychiatric patients, 81-85
- Meningitis**, and aviators, 153
- Mental retardation** and, autism, 27, 30-33
  - seizures with mittens, 184, 185, 186
- Metabolic disorder** and, emergency clinical situations, 77
  - lithium therapy, 55
  - PLEDs, 94, 96, 98, 118
  - psychiatric patients, 50
- Mitten pattern** and, psychiatric patients, 47, 80, 82, 85-87
  - thalamic depth recordings, 168, 184-190
- Moban**, and treatment for schizophrenics, 62-69
- Molindone hydrochloride**, and treatment for schizophrenics, 62-69
- Mollaret's triangle**, and palatal myoclonus, 148
- Multiple sclerosis**, and PLEDs, 197, 202
- Muscle artifact**, and myoclonus, 146
- Myoclonic jerks**, and carotid cutaneous photoplethysmography test, 7, 22
- Myoclonus**, palatal, and an unusual EEG artefact, 141-149
- Nasopharyngeal electrodes**, and vertex transient in palatal myoclonus, 147, 148
- Nausea and vomiting** and, 14&6 in medical legal cases, 162

- headache, 213, 215, 216
- psychiatric patients, 81, 82, 84, 86
- trauma in medical legal cases, 162
- Navane**, and treatment for schizophrenics, 62-69
- Neurosis** and, psychiatric patients, 81, 82, 84, 86
  - stutterers, 136
- Normal EEG** and, autism, 30
  - aviators, 150, 151
  - emergency clinical situations, 77
  - Huntington's chorea, 107
  - hyperventilation, 36
  - medical legal cases with trauma, 158-164, 203, 204
  - palatal myoclonus, 141
  - psychiatric patients, 81, 84
  - stutterers, 140
- Numbness**, and carotid compression, 7, 22
- Occipital localization** and, aviators, 152
  - headache, 211-214, 217-219
  - photic stimulation, 127-131, 170, 173-182
  - PLEDs, 119
  - spikes, 119, 127, 128, 217-219
  - stutterers, 135
- Occlusion, vascular**, and, carotid cutaneous photoplethysmography test, 6, 11, 15, 16, 18, 20, 25
  - computerized tomography, 70
  - ECG, 42
  - emergency clinical situations, 77
  - PLEDs, 92, 192
- Oscilloscope**, and palatal myoclonus, 145
- Pain** and, 14&6 in medical legal cases following trauma, 162, 164
  - psychiatric patients, 81, 82, 84, 86
  - (See also Headache)
- Palatal myoclonus**, and an unusual artefact, 141-149
- Parietal localization** and, aviators, 152
  - headache, 211-214
  - mittens, 168
  - PLEDs, 194, 196, 199, 200
  - psychiatric patients, 82
  - spikes, 82, 138, 194, 196, 200
  - stutterers, 138
- Parkinsonism** and, depth recording, 168
  - mitten patterns, 184
- Perinatal complications**, and autism, 27, 32, 33
- Periodic lateralized epileptiform discharges** and, clinical correlations, 191-202, 207
  - etiology and recurrence, 116-124
  - occurrence, evolution, and prognosis, 89-99
- Petit mal seizure**, and emergency clinical situations, 77
  - clinical attacks, 208
- Phenobarbital**, and lithium therapy, 54
- Phenytoin**, and lithium therapy, 54, 55
- Photic stimulation** and, autism, 28, 29, 31, 33, 34
  - aviators, 150, 152, 153
  - Huntington's chorea, 105-107
  - multiple visual projections to the cortex, 170-183
  - schizophrenics treated with tranquilizers, 64, 67, 68
  - seizure discharges, 208
  - sleep, 125-134
- Photomyoclonic response**, and photic stimulation, 179
- Photoparoxysmal response** and, autism, 33
  - seizures, 208
  - sleep, 125, 129, 131
- PLEDs**, (See Periodic lateralized epileptiform discharges)
- Polygon of Willis**, and carotid cutaneous photoplethysmography test, 9, 11, 21, 23
- Polyspikes** and, autism, 31-33
  - headache, 217
  - seizures, 184, 208
- Primidone** and, head pain, 213, 215, 218, 219
  - lithium therapy, 54
- Pseudoperiodic lateralized paroxysmal discharges**, and PLEDs, 191
- Psychiatric patients** and, autism, 27-35
  - ECG with EEG, 36-45
  - EEG findings among adults in a private hospital, 79-88
  - lithium in epilepsy, 51-56
  - mitten patterns, 184
  - routine screening EEG findings, relationship to prior expectations of positive results, 47-50
  - schizophrenics treated with major tranquilizers, 62-69
- Psychological tests**, and schizophrenics treated with tranquilizers, 64, 65
- Psychomotor seizures** and, PLEDs, 116, 117, 119, 208
  - psychiatric patients, 86
- Psychomotor variant**, and psychiatric patients, 48, 49, 80, 81, 87
- Pulvinar**, and visual system, 179, 181
- Rage**, and psychiatric patients, 80-82, 85-87
- REM sleep**, and photic stimulation, 125, 130
- Rolandic discharges**, and myoclonus, 146
- Schizophrenia** and, autism, 27
  - ECG, 45
  - EEG in private hospital, 81-87



- treatment with major tranquilizers, 62-69
- Seizure discharges, electrographic, and changes in frequency and amplitude, 206-210**
  - (See also Spikes, and Spike and wave)
- Seizures and, aviators, 150, 155**
  - computerized tomography, 70, 75
  - electrographic discharges, 206-208
  - emergency clinical situations, 77
  - lithium therapy, 51-56
  - medical legal cases following trauma, 160, 162
  - mitten patterns, 184
  - photic stimulation, 125, 127, 130, 131
  - PLEDs, 92-97, 116-122, 192, 197, 201, 208
  - psychiatric patients, 51-56, 86, 87
  - (See also Adversive, Akinetic, Epilepsia partialis continua, Focal motor, Grand mal, Petit mal, and Psychomotor seizures as well as Status epilepticus)
- Sharp waves and, aviators, 151**
  - ECG, 36
  - headache, 215
  - palatal myoclonus, 141-148
  - PLEDs, 89-99, 116-124, 191-202
  - seizures clinical, 207, 208
- Six per second spike and wave activity and, psychiatric patients, 48, 79-81, 87**
  - trauma in medical legal cases, 158
- Sleep EEG and, autism, 28, 31-34**
  - aviators, 155
  - Huntington's chorea, 100, 103, 104, 106, 108
  - medical legal cases, 156-164
  - mittens in depth recording, 185
  - palatal myoclonus, 147
  - photic stimulation, 125-134, 176, 178, 181
  - psychiatric patients, 80, 82
  - (See also REM sleep and Spindles)
- Slow activity and, autism, 31, 33**
  - aviators, 150, 151
  - coma, 77
  - depth recording, 168
  - drug overdose, 77
  - emergency clinical situations, 77
  - headache, 215-219
  - Huntington's chorea, 103, 106-108
  - lithium in epilepsy, 52, 53
  - mittens, 189
  - occlusion, 77
  - palatal myoclonus, 143
  - photic stimulation, 126-131
  - PLEDs, 91, 93, 94, 116-121, 192, 198, 199, 202
  - psychiatric patients, 48, 49, 83
  - schizophrenics treated with tranquilizers, 67
  - seizure discharges, 207, 208
  - stutterers, 135, 138
  - subdural hematoma, 77
  - thrombosis, 13
  - trauma, 158
  - (See also Delta and Theta activity, and Bradyrhythmia)
- Small sharp spikes and, medical legal cases following trauma, 158**
  - psychiatric patients, 48, 49, 65, 80, 81, 85-87
- Speech, impaired, and, autism, 27, 29, 31-33**
  - carotid compression, 6, 7, 22
  - mitten patterns, 189
  - stutterers, 135-140
- Spike and wave activity and, autism, 27, 30, 31, 33,**
  - aviators, 150, 151
  - electrographic discharges, 208
  - headache, 216, 217
  - Huntington's chorea, 107
  - lithium therapy, 52, 53
  - myoclonus, 146
  - photic stimulation, 125-133
  - psychiatric patients, 48, 49, 79-82, 87
  - status epilepticus, 77
  - thalamotomy, 184
  - trauma and medical legal cases, 158
  - (See also Six, Three and Two per second spike and wave activity and Triphasic sharp and slow wave)
- Spikes and, autism, 27, 30-34**
  - aviators, 151
  - ECG with EEG, 36, 45
  - headache, 217-219
  - Huntington's chorea, 107
  - lithium in epilepsy, 52, 54
  - medical legal cases following trauma, 158-164
  - myoclonus, 146
  - photic stimulation, 127, 128
  - PLEDs, 89-99, 116-124, 191-202
  - psychiatric patients, 48, 49, 65, 80-87
  - seizure discharges, 206-210
  - stutterers, 135-139
  - (See also, Anterior temporal, Central, Fourteen and six, Frontal, Hemisphere, Occipital, Parietal, Periodic lateralized epileptiform discharges, Polyspikes, Psychomotor variant, Small sharp spikes, and Temporal localization, as well as Six, Three, Two, and undifferentiated Spike and Wave activity)

- Spindles** and, autism, 30, 31  
—headache, 216, 218  
—Huntington's chorea, 103, 104, 106, 108  
—mittens pattern, 185  
—psychiatric patients, 82
- Status epilepticus**, and emergency clinical situations, 77  
—PLEDs, 95
- Stenosis**, and carotid cutaneous photoplethysmography test, 6, 11, 14-21, 25
- Stokes-Adams Syndrome**, and ECG, 37, 45
- Stupor**, and PLEDs, 117, 121
- Stutterers**, and EEG study, 135-140
- Subdural hematoma** and computerized tomography, 70  
—emergency clinical situations, 77  
—PLEDs, 122, 201
- Substantia nigra**, and mittens, 184
- Suicide**, and psychiatric patients, 80-82, 84, 86, 87
- Suppression burst phenomenon**, and PLEDs, 91, 98, 99, 116, 201
- Syncope**, and ECG with EEG, 44  
—lithium therapy, 52
- Syphilis**, and PLEDs, 116, 117, 122
- Tachycardia** and, carotid cutaneous photoplethysmography test, 7  
—ECG with EEG, 44
- Temper Tantrums**, and 14&6 following trauma, 160, 162, 164
- Temporal localization** and, aviators, 152  
—headache, 212-219  
—lithium therapy, 51, 52, 54  
—mittens patterns, 168  
—PLEDs, 118, 119, 121, 192, 193, 199, 200  
—psychiatric patients, 80, 82, 85-87  
—spikes, 52, 54, 80, 82, 85-87, 138, 139, 193, 196, 200  
—stutterers, 136, 138, 139  
—thrombosis, 13  
—(See also Anterior temporal)
- Thalamus** and, depth recordings with mittens, 184-190  
—head injury, 220  
—photic stimulation, 172, 182
- Theta activity** and, autism, 31  
—headache, 215, 216, 218  
—Huntington's chorea, 103, 106-108  
—medical legal cases following trauma, 158  
—palatal myoclonus, 143  
—PLEDs, 91  
—(See also Slow activity)
- Thiothixene hydrochloride**, and treatment for schizophrenics, 62-69
- Third ventricle, lesions**, and ECG, 45
- Three per second spike and wave activity** and, aviators, 150  
—psychiatric patients, 49, 79
- Thrombosis** and, carotid compression, 13, 14  
—emergency clinical situations, 77  
—sickle-cell disease, 38
- Tingling**, and lithium therapy, 52
- Tomography, computerized**, and comparative utilization of EEG, 70-76
- Train sequences**, and photic stimulation, 172, 180, 182
- Training centers accredited in EEG technology**, 113, 114
- Tranquilizers**, and treatment for schizophrenics, 62-69
- Trauma, head**, and, aviators, 152, 153  
—computerized tomography, 75  
—14&6, 158-164, 203-205  
—head pain, 211-220  
—medical legal cases 156-164, 203-205  
—normal EEG, 158-164  
—psychiatric cases, 81-83  
—spikes, 158-164
- Triphasic sharp and slow wave pattern**, and emergency clinical situations, 77
- Tumor, brain**, and, computerized tomography, 70, 75  
—emergency clinical situations, 77  
—mittens patterns, 184  
—PLEDs, 93-98, 116, 117, 201, 202  
—psychiatric patients, 87
- Two per second spike and wave activity**, and seizures, 184
- Urinary infection**, and PLEDs, 122, 123
- Vascular disease** and, carotid compression, 6, 7, 11, 13-25, 37  
—computerized tomography, 70, 75  
—ECG with EEG, 37-45  
—emergency clinical situations, 77  
—mittens, 184  
—palatal myoclonus, 141, 146  
—photic stimulation, 127  
—PLEDs, 92, 93, 96-98, 116-123, 191, 192, 197, 201, 202  
—sickle-cell disease, 38
- Vertebral basilar system**, and carotid cutaneous photoplethysmography test, 6-26
- Vertex waves** and, Huntington's chorea, 104, 106, 108  
—palatal myoclonus, 141-148
- Visual disorder** and, medical legal cases following trauma, 162, 164  
—psychiatric patients, 80, 81, 82
- Visual projections, to cortex** and photic stimulation, 170-183  
—(See also Photic stimulation)
- White matter destruction**, and PLEDs, 123



